



CATÁLOGO TÉCNICO ACCESORIOS 2026



LATIGUILLO FLEXIBLES

PROFLEX SIN TRENZADO / TRENZADO

Set flexible sprinkler hose 1000 mm

1 piece of flexible braided/ unbraided sprinkler hose 1000 mm
 1 standard bar 700mm
 1 bracket
 1 nipple
 1 piece of standard reducer NPT 1/2" or 3/4"
 2 pieces of short clamps

Set flexible sprinkler hose 1200 mm

1 piece of flexible braided/ unbraided sprinkler hose 1200 mm
 1 standard bar 700mm
 1 bracket
 1 nipple
 1 piece of standard reducer NPT 1/2" or 3/4"
 2 pieces of short clamps

Set flexible sprinkler hose 1500 mm

1 piece of flexible braided/ unbraided sprinkler hose 1500 mm
 1 standard bar 700mm
 1 bracket
 1 nipple
 1 piece of standard reducer NPT 1/2" or 3/4"
 2 pieces of short clamps

PF-UH-1000

Precio

1/2

Consultar

PF-BH-1000

Precio

1/2

Consultar

PF-UH-1200

Precio

1/2

Consultar

PF-BH-1200

Precio

1/2

Consultar

PF-UH-1500

Precio

1/2


Consultar

PF-BH-1500

Precio

1/2

Consultar



A especificar en cada pedido:

- Longitud de la manguera
- Reducción estándar NPT 1/2" o 3/4"

En caso de necesitar información técnica adicional, consulte nuestro catálogo y nuestra página web

ACOPLAMIENTOS RÍGIDOS



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
25	33,7	0,42	GKSR1	Consultar	GKSG1	Consultar
32	42,4	0,51	GKSR1¼	Consultar	GKSG1¼	Consultar
40	48,3	0,53	GKSR1½	Consultar	GKSG1½	Consultar
50	60,3	0,68	GKSR2	Consultar	GKSG2	Consultar
65	76,1	0,8	GKSR2½	Consultar	GKSG2½	Consultar
80	88,9	0,96	GKSR3	Consultar	GKSG3	Consultar
100	114,3	1,32	GKSR4	Consultar	GKSG4	Consultar
125	139,7	1,74	GKSR5	Consultar	GKSG5	Consultar
150	168,3	2,06	GKSR6	Consultar	GKSG6	Consultar
200	219,1	3,89	GKSR8	Consultar	GKSG8	Consultar
250	273	6,39	GKSR10	Consultar	GKSG10	Consultar
300	323	8,6	GKSR12	Consultar		

ACOPLAMIENTOS FLEXIBLES



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
25	33,7	0,42	GKFR1	Consultar	GKFG1	Consultar
32	42,4	0,48	GKFR1¼	Consultar	GKFG1¼	Consultar
40	48,3	0,53	GKFR1½	Consultar	GKFG1½	Consultar
50	60,3	0,68	GKFR2	Consultar	GKFG2	Consultar
65	76,1	0,8	GKFR2½	Consultar	GKFG2½	Consultar
80	88,9	0,95	GKFR3	Consultar	GKFG3	Consultar
100	114,3	1,44	GKFR4	Consultar	GKFG4	Consultar
125	139,7	1,91	GKFR5	Consultar	GKFG5	Consultar
150	168,3	2,1	GKFR6	Consultar	GKFG6	Consultar
200	219,1	3,77	GKFR8	Consultar	GKFG8	Consultar
250	273	6,54	GKFR10	Consultar	GKFG10	Consultar

LUBRICANTE PARA JUNTAS

Descripción	Precio
Lubricante para juntas - 900gr	Consultar




T MECÁNICA RANURADA




General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
50-32	60,3 * 42,4	0,73	GMGR2 - 1¼	Consultar	GMGR2 - 1¼	Consultar
50-40	60,3 * 48,3	0,82	GMGR2 - 1½	Consultar	GMGR2 - 1½	Consultar
65-32	76,1 * 42,4	0,97	GMGR2½ - 1¼	Consultar	GMGR2½ - 1¼	Consultar
65-40	76,1 * 48,3	1,03	GMGR2½ - 1½	Consultar	GMGR2½ - 1½	Consultar
80-32	88,9 * 42,4	0,99	GMGR3 - 1¼	Consultar	GMGR3 - 1¼	Consultar
80-40	88,9 * 48,3	1,03	GMGR3 - 1½	Consultar	GMGR3 - 1½	Consultar
80-50	88,9 * 60,3	1,23	GMGR3 - 2	Consultar	GMGR3 - 2	Consultar
100-32	114,3 * 42,4	1,26	GMGR4 - 1¼	Consultar	GMGR4 - 1¼	Consultar
100-40	114,3 * 76,1	1,4	GMGR4 - 1½	Consultar	GMGR4 - 1½	Consultar
100-50	114,3 * 60,3	1,61	GMGR4 - 2	Consultar	GMGR4 - 2	Consultar
100-65	114,3 * 76,1	1,85	GMGR4 - 2½	Consultar	GMGR4 - 2½	Consultar
100-80	114,3 * 88,9	2,01	GMGR4 - 3	Consultar	GMGR4 - 3	Consultar
150-32	168,3 * 42,4	2,58	GMGR6 - 1¼	Consultar	GMGR6 - 1¼	Consultar
150-40	168,3 * 48,3	2,58	GMGR6 - 1½	Consultar	GMGR6 - 1½	Consultar
150-50	168,3 * 60,3	2,19	GMGR6 - 2	Consultar	GMGR6 - 2	Consultar
150-65	168,3 * 76,1	2,58	GMGR6 - 2½	Consultar	GMGR6 - 2½	Consultar
150-80	168,3 * 88,9	2,73	GMGR6 - 3	Consultar	GMGR6 - 3	Consultar
150-100	168,3 * 114,3	3,52	GMGR6 - 4	Consultar	GMGR6 - 4	Consultar
200-65	219,1 * 76,1	3,46	GMGR8 - 2½	Consultar	GMGR8 - 2½	Consultar
200-80	219,1 * 88,9	3,89	GMGR8 - 3	Consultar	GMGR8 - 3	Consultar

TEE



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
25	33,7	0,5	GTR 1	Consultar	GTG 1	Consultar
32	42,4	0,64	GTR 1¼	Consultar	GTG 1¼	Consultar
40	48,3	0,73	GTR 1½	Consultar	GTG 1½	Consultar
50	60,3	0,89	GTR 2	Consultar	GTG 2	Consultar
65	76,1	1,43	GTR 2½	Consultar	GTG 2½	Consultar
80	88,9	1,68	GTR 3	Consultar	GTG 3	Consultar
100	114,3	2,29	GTR 4	Consultar	GTG 4	Consultar
125	139,7	4,67	GTR 5	Consultar	GTG 5	Consultar
150	168,3	6,5	GTR 6	Consultar	GTG 6	Consultar
200	219,1	12,5	GTR 8	Consultar	GTG 8	Consultar
250	273	18,3	GTR 10	Consultar	GTG 10	Consultar
300	300	24,89	GTR 12	Consultar		

SALIDA DE ROCIADOR CON ABARCÓN



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
33,7 * 21,3	25-15	0,33	GSTR 1 - ½	Consultar	GSTG 1 - ½	Consultar
42,4 * 21,3	32-15	0,42	GSTR 1¼ - ½	Consultar	GSTG 1¼ - ½	Consultar
42,4 * 26,9	32-20	0,46	GSTR 1¼ - ¾	Consultar	GSTG 1¼ - ¾	Consultar
42,4 * 33,7	32-25	0,49	GSTR 1¼ - 1	Consultar	GSTG 1¼ - 1	Consultar
48,3 * 21,3	40-15	0,38	GSTR 1½ - ½	Consultar	GSTG 1½ - ½	Consultar
48,3 * 26,9	40-20	0,38	GSTR 1½ - ¾	Consultar	GSTG 1½ - ¾	Consultar
48,3 * 33,7	40-25	0,41	GSTR 1½ - 1	Consultar	GSTG 1½ - 1	Consultar
60,3 * 21,3	50-15	0,45	GSTR 2 - ½	Consultar	GSTG 2 - ½	Consultar
60,3 * 26,9	50-20	0,45	GSTR 2 - ¾	Consultar	GSTG 2 - ¾	Consultar
60,3 * 33,7	50-25	0,47	GSTR 2 - 1	Consultar	GSTG 2 - 1	Consultar

TEE MECÁNICA ROSCADA



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
76,1 * 21,3	65-15	0,74	GSTFCR 2½ - ½	Consultar	GSTFCG 2½ - ½	Consultar
76,1 * 26,9	65-20	0,75	GSTFCR 2½ - ¾	Consultar	GSTFCG 2½ - ¾	Consultar
76,1 * 33,7	65-25	0,87	GSTFCR 2½ - 1	Consultar	GSTFCG 2½ - 1	Consultar

REDUCCIONES CONCÉNTRICAS



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
40-32	48,3 * 42,4	0,32	GRCR 1½ - 1¼	Consultar	GRCG 1½ - 1¼	Consultar
50-40	60,3 * 48,3	0,41	GRCR 2 - 1½	Consultar	GRCG 2 - 1½	Consultar
65-40	76,1 * 48,3	0,49	GRCR 2½ - 1½	Consultar	GRCG 2½ - 1½	Consultar
65-50	76,1 * 60,3	0,51	GRCR 2½ - 2	Consultar	GRCG 2½ - 2	Consultar
80-50	88,9 * 60,3	0,59	GRCR 3 - 2	Consultar	GRCG 3 - 2	Consultar
80-65	88,9 * 76,1	0,62	GRCR 3 - 2½	Consultar	GRCG 3 - 2½	Consultar
100-50	114,3 * 60,3	0,88	GRCR 4 - 2	Consultar	GRCG 4 - 2	Consultar
100-65	114,3 * 76,1	0,95	GRCR 4 - 2½	Consultar	GRCG 4 - 2½	Consultar
100-80	114,3 * 88,9	1,02	GRCR 4 - 3	Consultar	GRCG 4 - 3	Consultar
125-50	139,7 * 60,3	1,6	GRCR 5 - 2	Consultar	GRCG 5 - 2	Consultar
125-65	139,7 * 76,1	1,65	GRCR 5 - 2½	Consultar	GRCG 5 - 2½	Consultar
125-80	139,7 * 88,9	1,65	GRCR 5 - 3	Consultar	GRCG 5 - 3	Consultar
125-100	139,7 * 114,3	1,8	GRCR 5 - 4	Consultar	GRCG 5 - 4	Consultar
150-80	168,3 * 88,9	2,04	GRCR 6 - 3	Consultar	GRCG 6 - 3	Consultar
150-100	168,3 * 114,3	2,23	GRCR 6 - 4	Consultar	GRCG 6 - 4	Consultar
150-125	168,3 * 139,7	2,29	GRCR 6 - 5	Consultar	GRCG 6 - 5	Consultar
200-150	219,1 * 168,3	3,34	GRCR 8 - 6	Consultar	GRCG 8 - 6	Consultar

CODOS 90°



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
25	33,7	0,3	GB90 R1	Consultar	GB90 G1	Consultar
32	42,4	0,41	GB90 R1¼	Consultar	GB90 G1¼	Consultar
40	48,3	0,47	GB90 R1½	Consultar	GB90 G1½	Consultar
50	60,3	0,61	GB90 R2	Consultar	GB90 G2	Consultar
65	76,1	0,87	GB90 R2½	Consultar	GB90 G2½	Consultar
80	88,9	1,12	GB90 R3	Consultar	GB90 G3	Consultar
100	114,3	1,8	GB90 R4	Consultar	GB90 G4	Consultar
125	139,7	3,05	GB90 R5	Consultar	GB90 G5	Consultar
150	168,3	4,94	GB90 R6	Consultar	GB90 G6	Consultar
200	219,1	8,31	GB90 R8	Consultar	GB90 G8	Consultar
250	273	14,14	GB90 R10	Consultar	GB90 G10	Consultar
300	323	16,87	GB90G12	Consultar		

CODOS 45°



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
25	33,7	0,22	GB45 R1	Consultar	GB45 G1	Consultar
32	42,4	0,3	GB45 R1¼	Consultar	GB45 G1¼	Consultar
40	48,3	0,36	GB45 R1½	Consultar	GB45 G1½	Consultar
50	60,3	0,53	GB45R2	Consultar	GB45 G2	Consultar
65	76,1	0,93	GB45 R2½	Consultar	GB45 G2½	Consultar
80	88,9	1,08	GB45 R3	Consultar	GB45 G3	Consultar
100	114,3	1,81	GB45 R4	Consultar	GB45 G4	Consultar
125	139,7	2,77	GB45 R5	Consultar	GB45 G5	Consultar
150	168,3	3,63	GB45 R6	Consultar	GB45 G6	Consultar
200	219,1	8,77	GB45 R8	Consultar	GB45 G8	Consultar
250	273	11,5	GB45 R10	Consultar	GB45 G10	Consultar
300	323	12,81	GB45R12	Consultar		

TAPAS CIEGAS



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
25	33,7	0,07	GER 1	Consultar	GEG 1	Consultar
32	42,4	0,09	GER 1¼	Consultar	GEG 1¼	Consultar
40	48,3	0,12	GER 1½	Consultar	GEG 1½	Consultar
50	60,3	0,18	GER 2	Consultar	GEG 2	Consultar
65	76,1	0,3	GER 2½	Consultar	GEG 2½	Consultar
80	88,9	0,38	GER 3	Consultar	GEG 3	Consultar
100	114,3	0,7	GER 4	Consultar	GEG 4	Consultar
125	139,7	1,15	GER 5	Consultar	GEG 5	Consultar
150	168,3	1,5	GER 6	Consultar	GEG 6	Consultar
200	219,1	3,13	GER 8	Consultar	GEG 8	Consultar
250	273	5,23	GER 10	Consultar	GEG 10	Consultar

TAPAS CON AGUJERO EXCÉNTRICO



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
50-25	60,3 * 33,7	0,26	GER 2 - 1	Consultar	GEG 2 - 1	Consultar
50-40	60,3 * 48,3	0,25	GER 2 - 1½	Consultar	GEG 2 - 1½	Consultar
65-25	76,1 * 33,7	0,38	GER 2½ - 1	Consultar	GEG 2½ - 1	Consultar
65-32	76,1 * 42,4	0,3	GER 2½ - 1¼	Consultar	GEG 2½ - 1¼	Consultar
65-40	76,1 * 48,3	0,38	GER 2½ - 1½	Consultar	GEG 2½ - 1½	Consultar
65-50	76,1 * 60,3	0,35	GER 2½ - 2	Consultar	GEG 2½ - 2	Consultar
80-25	88,9 * 33,7	0,64	GER 3 - 1	Consultar	GEG 3 - 1	Consultar
80-32	88,9 * 42,4	0,64	GER 3 - 1¼	Consultar	GEG 3 - 1¼	Consultar
80-40	88,9 * 48,3	0,64	GER 3 - 1½	Consultar	GEG 3 - 1½	Consultar
80-50	88,9 * 60,3	0,54	GER 3 - 2	Consultar	GEG 3 - 2	Consultar
100-50	114,3 * 60,3	0,86	GER 4 - 2	Consultar	GEG 4 - 2	Consultar
125-50	139,7 * 60,3	1,25	GER 5 - 2	Consultar	GEG 5 - 2	Consultar
150-50	168,3 * 60,3	1,78	GER 6 - 2	Consultar	GEG 6 - 2	Consultar
200-50	219,1 * 60,3	2,97	GER 8 - 2	Consultar	GEG 8 - 2	Consultar

ADAPTADOR DE BRIDA



General			Pintura roja		Galvanizado	
DN	MM	Peso	Referencia	Precio	Referencia	Precio
50	60,3	1,5	GAF16 R2	Consultar	GAF16 G2	Consultar
65	76,1	1,75	GAF16 R2½	Consultar	GAF16 G2½	Consultar
80	88,9	2,05	GAF16 R3	Consultar	GAF16 G3	Consultar
100	114,3	2,45	GAF16 R4	Consultar	GAF16 G4	Consultar
125	139,7	3,4	GAF16 R5	Consultar	GAF16 G5	Consultar
150	168,3	4,5	GAF16 R6	Consultar	GAF16 G6	Consultar
200	219,1	5,95	GAF16 R8	Consultar	GAF16 G8	Consultar

ELEMENTOS DE SOPORTE



CUELQUE PERA CASQUILLO fig FPE - 330 <FM> (UL)

1 1/4"	M10	Consultar
1 1/2"	M10	Consultar
2"	M10	Consultar
2 1/2"	M10	Consultar
3"	M10	Consultar
4"	M10	Consultar
6"	M12	Consultar
8"	M12	Consultar



CUELQUE PERA DOBLE TUERCA fig FDT - 320 <FM> Vds

1 1/4"	M10	Consultar
1 1/2"	M10	Consultar
2"	M10	Consultar
2 1/2"	M10	Consultar
3"	M10	Consultar
4"	M10	Consultar
6"	M12	Consultar
8"	M12	Consultar



MORDAZA VIGA fig BMP - 680 <FM> (UL) Vds

	M10	Consultar
	M10	Consultar



ABRAZADERA REF fig RCL - 300

1"	M10	31 - 35 mm	Vds	Consultar
1 1/4"	M10	40 - 45 mm	Vds	Consultar
1 1/2"	M10	48 - 53 mm	Vds	Consultar
2"	M10	60 - 65 mm	<FM> Vds	Consultar
2 1/2"	M10	76 - 81 mm	<FM> Vds	Consultar
3"	M10	88 - 93 mm	<FM> Vds	Consultar
4"	M12	110 - 116 mm	<FM> Vds	Consultar
6"	M16	167 - 173 mm	<FM> Vds	Consultar
8"	M16	219 - 225 mm	<FM> Vds	Consultar

VARILLA ROSCADA

Código	Descripción	Ud.	Ud./caja	Precio/Ud.
975PM10X1M	Varilla roscada DIN975 M-10, longitud 1 m., zincada	1		Consultar
975PM10X2M	Varilla roscada DIN975 M-10, longitud 2 m., zincada	1		Consultar
975PM12X1M	Varilla roscada DIN975 M-12, longitud 1 m., zincada	1		Consultar
975PM12X2M	Varilla roscada DIN975 M-12, longitud 2 m., zincada	1		Consultar

ABARCÓN LARGO NORMAL



Código	Descripción	Ud.	Ud./caja	Precio/Ud.
170004222	Abarcón largo normal DN32 M-10 zincado, tuercas incluidas	1	100	Consultar
170004822	Abarcón largo normal DN40 M-10 zincado, tuercas incluidas	1	100	Consultar
170006022	Abarcón largo normal DN50 M-10 zincado, tuercas incluidas	1	100	Consultar
170007622	Abarcón largo normal DN65 M-10 zincado, tuercas incluidas	1	100	Consultar
170008922	Abarcón largo normal DN80 M-10 zincado, tuercas incluidas	1	50	Consultar
170011422	Abarcón largo normal DN100 M-10 zincado, tuercas incluidas	1	50	Consultar
170013932	Abarcón largo normal DN150 M-12 zincado, tuercas incluidas	1	25	Consultar
170021942	Abarcón largo normal DN200 M-12 zincado, tuercas incluidas	1	25	Consultar

ABARCÓN EXTRA LARGO



Código	Descripción	Ud.	Ud./caja	Precio/Ud.
171004222	Abarcón extra largo normal DN32 M-10 zincado. tuercas incluidas	1	100	Consultar
171004822	Abarcón extra largo normal DN40 M-10 zincado, tuercas incluidas	1	100	Consultar
171006022	Abarcón extra largo normal DN50 M-10 zincado, tuercas incluidas	1	100	Consultar
171007622	Abarcón extra largo normal DN65 M-10 zincado, tuercas incluidas	1	100	Consultar
171008922	Abarcón extra largo normal DN80 M-10 zincado, tuercas incluidas	1	50	Consultar
171011422	Abarcón extra largo normal DN100 M-10 zincado, tuercas incluidas	1	50	Consultar
171013932	Abarcón extra largo normal DN150 M-12 zincado, tuercas incluidas	1	25	Consultar
171021942	Abarcón extra largo normal DN200 M-12 zincado, tuercas incluidas	1	25	Consultar

ADAPTADORES RANURADO-ROSCADO



Código	Adaptador ranura X Rosca BSP	Precio
ADAPM025N	Grooved Threaded Adapter · Male Thread BSPT · Black · DN25 · 33,7mm · length 75mm	Consultar
ADAPM032N	Grooved Threaded Adapter · Male Thread BSPT · Black · DN32 · 42,4mm · length 100mm	Consultar
ADAPM040N	Grooved Threaded Adapter · Male Thread BSPT · Black · DN40 · 48,3mm · length 100mm	Consultar
ADAPM050N	Grooved Threaded Adapter · Male Thread BSPT · Black · DN50 · 60,3mm · length 100mm	Consultar
ADAPM065N	Grooved Threaded Adapter · Male Thread BSPT · Black · DN65 · 76,1mm · length 100mm	Consultar
ADAPM080N	Grooved Threaded Adapter · Male Thread BSPT · Black · DN80 · 88,9mm · length 100mm	Consultar
ADAPM100N	Grooved Threaded Adapter · Male Thread BSPT · Black · DN100 · 114,3mm · length 100mm	Consultar
ADAPM025G	Grooved Threaded Adapter · Male Thread BSPT · Galva · DN25 · 33,7mm · length 75mm	Consultar
ADAPM032G	Grooved Threaded Adapter · Male Thread BSPT · Galva · DN32 · 42,4mm · length 100mm	Consultar
ADAPM040G	Grooved Threaded Adapter · Male Thread BSPT · Galva · DN40 · 48,3mm · length 100mm	Consultar
ADAPM050G	Grooved Threaded Adapter · Male Thread BSPT · Galva · DN50 · 60,3mm · length 100mm	Consultar
ADAPM065G	Grooved Threaded Adapter · Male Thread BSPT · Galva · DN65 · 76,1mm · length 100mm	Consultar
ADAPM080G	Grooved Threaded Adapter · Male Thread BSPT · Galva · DN80 · 88,9mm · length 100mm	Consultar
ADAPM100G	Grooved Threaded Adapter · Male Thread BSPT · Galva · DN100 · 114,3mm · length 100mm	Consultar
ADAPH025N	Grooved Threaded Adapter · Female Thread BSPT · Black · DN25 · 33,7mm · length 75mm	Consultar
ADAPH032N	Grooved Threaded Adapter · Female Thread BSPT · Black · DN32 · 42,4mm · length 100mm	Consultar
ADAPH040N	Grooved Threaded Adapter · Female Thread BSPT · Black · DN40 · 48,3mm · length 100mm	Consultar
ADAPH050N	Grooved Threaded Adapter · Female Thread BSPT · Black · DN50 · 60,3mm · length 100mm	Consultar
ADAPH065N	Grooved Threaded Adapter · Female Thread BSPT · Black · DN65 · 76,1mm · length 100mm	Consultar
ADAPH080N	Grooved Threaded Adapter · Female Thread BSPT · Black · DN80 · 88,9mm · length 100mm	Consultar
ADAPH100N	Grooved Threaded Adapter · Female Thread BSPT · Black · DN100 · 114,3mm · length 100mm	Consultar
ADAPH025G	Grooved Threaded Adapter · Female Thread BSPT · Galva · DN25 · 33,7mm · length 75mm	Consultar
ADAPH032G	Grooved Threaded Adapter · Female Thread BSPT · Galva · DN32 · 42,4mm · length 100mm	Consultar
ADAPH040G	Grooved Threaded Adapter · Female Thread BSPT · Galva · DN40 · 48,3mm · length 100mm	Consultar
ADAPH050G	Grooved Threaded Adapter · Female Thread BSPT · Galva · DN50 · 60,3mm · length 100mm	Consultar
ADAPH065G	Grooved Threaded Adapter · Female Thread BSPT · Galva · DN65 · 76,1mm · length 100mm	Consultar
ADAPH080G	Grooved Threaded Adapter · Female Thread BSPT · Galva · DN80 · 88,9mm · length 100mm	Consultar
ADAPH100G	Grooved Threaded Adapter · Female Thread BSPT · Galva · DN100 · 114,3mm · length 100mm	Consultar



Engineered **FIRE PIPING**

☎ +34 902 551558

✉ info@firepipings.com

📍 Del Pino, 17. P.I. La Malena
45210 Yuncos. Toledo

🌐 www.firepipings.com

🌐 Engineered Firepipings

📺 Academia de Protección
Contra Incendios EFP



WE MAKE IT EASY
ON BUDGET - DEADLINE - HIGH QUALITY

www.firepipings.com